

**KANAWHA-CHARLESTON HEALTH DEPARTMENT
COLLEGE CLINIC IMMUNIZATION PERMISSION FORM**

If you or your child is covered by Medicaid, Chips, Carelink, Unicare, PEIA or Blue Cross/Blue Shield, please include a copy of your insurance card **OR** fill in the insurance information on the following page. You or your child will be screened to determine eligibility to receive any state-supplied vaccine through the Vaccines for Children program. You must be at least 18 years of age to sign. **If under age 18, a parent's signature is required.** If you are a legal guardian, guardianship papers must also be provided. Please indicate which vaccinations you or your child should receive with a checkmark, and sign and date on the line below each vaccine to be given. **By signing, you are stating the following for each vaccine selected: Vaccine Information Statements (VIS Forms) have been made available to me and I understand the information about the vaccine(s) I have chosen. I understand the benefits and risks of the vaccine(s) as well.** All administration fees are included in the listed price.

- \$14.00 Hepatitis B Pediatric (for ages 0 thru 19). I understand Hepatitis B is a series of 3 injections over a six-month period. ***

Signature for Hepatitis B Pediatric Date

- \$42.00 Hepatitis B Adult (for ages 20 and over). I understand Hepatitis B is a series of 3 injections over a six-month period.**

Signature for Hepatitis B Adult Date

- \$14.00 Hepatitis A Pediatric (for ages 12 mo. to 19 years). I understand Hepatitis A is a series of 2 injections over a six-month period.**

Signature for Hepatitis A Pediatric Date

- \$36.00 Hepatitis A Adult (for ages 19 and over). I understand Hepatitis A is a series of 2 injections over a six-month period.**

Signature for Hepatitis A Adult Date

- \$59.00 Twinrix (Adult Hepatitis A & B Combination, ages 18 and over). I understand that Twinrix is a series of 3 injections over a 6 month period.**

Signature for Twinrix Date

- \$116.00 Menactra (Meningococcal) ***

Signature for Menactra Date

- \$64.00 MMR (Measles, Mumps, Rubella)***

Signature for MMR Date

- \$99.00 Varicella (Chickenpox)***

Signature for Varicella Date

- \$14.00 Tdap (Tetanus with Diphtheria and Pertussis).**

Signature for Tdap Date

- \$14.00 Tetanus (With Diphtheria) only for those who have had a severe reaction to Pertussis in the past).**

Signature for Tetanus Date

- \$149.00 HPV (Gardasil, women ages 11-26). I understand that Gardasil is a series of 3 injections over a 6 month period. Children 18 and under may qualify for state-supplied vaccine at a reduced rate.***

Signature for Gardasil Date

***Children 18 and under and college students living on campus may qualify for state-supplied vaccine at a reduced rate.**

Patient's Name _____ Date of Birth _____ Age _____ Grade _____
 (Last) (First) (Middle)

Current Address _____
 (Street Address) (City) (State) (Zip)

Will you be a college student? Yes No Will you be living on campus? Yes No

Contact Phone _____ Last 4 digits of SS # _____ Race _____ Sex _____

Responsible Party _____ Relationship _____
 (Last) (First)

Primary Insurance: PEIA Carelink Medicaid Chips Unicare BCBS Other _____

ID Number: _____ Group # (if any) _____

The Kanawha-Charleston Health Department bills only the insurance companies named above. Submission of insurance information does not guarantee that the insurance company will cover the above vaccines. If the insurance company does not cover the vaccines, the parent or legal guardian will be responsible for the charges. **If you have insurance other than those listed above, payment must be made by check or cash, in advance.** A receipt will be issued to you to submit to your insurance company. We suggest that you contact your insurance provider for reimbursement information.

VACCINE RECCOMENDATIONS

Recommendations for College Immunizations by the Advisory Committee on Immunization Practices (ACIP) to the Centers for Disease Control and Prevention (CDC) and the American College Health Association (ACHA). Additional information may be found at the following websites: http://www.acha.org/info_resources/RIPIstatement.pdf ; and <http://www.acha.org>. Information on each vaccine can be found in the Vaccine Information Statements (VIS).

Hepatitis A	Recommended for routine use in all adolescents through the age of 18 and in particular for adolescent and adult high-risk groups.
Hepatitis B	All college students.
Twinrix Hepatitis A and B	May be given if both Hepatitis A and B are needed and no prior vaccinations of either Hepatitis A or B for 18 years of age and older.
MMR Measles, Mumps, Rubella	Two doses are recommended prior to entering college. Because undergraduate and graduate students, faculty, and health care and other workers in colleges and other post-high school educational institutions may be at increased risk of acquiring mumps, they should receive two doses of MMR vaccine or provide other evidence of mumps immunity (physician diagnosis or laboratory evidence).
Menactra Meningococcal	All adolescents 11-18 years of age, and other populations at increased risk, including freshmen living in dorms/residence halls. Non freshmen college students may choose to be vaccinated to reduce their risk of meningococcal disease (ACHA).
Tdap Tetanus, Diphtheria, Pertussis	For adolescents age 11-18, at least 5 years should have elapsed since the last dose of tetanus and diphtheria toxoid-containing vaccine, prior to receiving Tdap. For adults 19-64 years, Tdap to replace a single dose of Td for booster immunization against tetanus, diphtheria, and pertussis if they received their last dose of Td \geq 10 years earlier. Adolescents who have already gotten a booster dose of Td are encouraged to get a dose of Tdap as well, for protection against pertussis. Waiting at least 5 years between Td and Tdap is encouraged, but not required.
Td Tetanus, Diphtheria	Children age 7 - 9 and adults 65 and older. Anyone who has already received a Tdap.
Varicella Chicken Pox	All entering college students without history of the disease or without age appropriate immunization or with a negative antibody titer. The Advisory Committee on Immunization Practices (ACIP) to the Centers for Disease Control and Prevention (CDC), recommends that children, adolescents and adults who previously received one dose should receive a second dose.
PPD	Tuberculosis (TB) screening used to identify individuals with TB disease or latent TB infection (LTBI). May be required for college entrance or entrance into a health professional curriculum.

Gardasil (HPV) is available for females 11-26 years of age.